



# TR | THE DEADLY SPREAD OF BOWEL CANCER TO THE LIVER

Bowel cancer is the **fourth most common** cancer in Turkey<sup>1</sup>.



with **1** person being diagnosed **every hour**<sup>1</sup>




in around **half of patients** it spreads to the **liver**<sup>2,3</sup>

**The majority** (66%-90%) of people with bowel cancer that has spread to the liver **will die from liver failure** caused by liver tumours<sup>4-7</sup>



This equates to around as many as **4,724 deaths a year** in Turkey...

...that's **13** lives **every day**.<sup>1,4-7</sup>



1. *Globocan 2012 Estimated cancer mortality, incidence and prevalence worldwide*. Available at <http://globocan.iarc.fr/Default.aspx>. Last accessed December 2014.  
2. Van Cutsem E *et al.* *Eur J Cancer* 2006; **42**: 2212-2221.  
3. Eadens MJ, Grothey A. *Curr Oncol Rep* 2011; **13**: 168-176.  
4. McMillan DC, McArdle CS. *Surg Oncol* 2007; **16**: 3-5.  
5. Sharma R *et al.* *J Clin Oncol* 2007; **25**: 1099-1106.  
6. Van den Eynde M, Hendlisz A. *Rev Recent Clin Trials*, 2009; **4**: 56-62.  
7. Kennedy A *et al.* *Int J Radiation Oncology Biol and Phys* 2006; **65**: 412-425.